



SDS)

SJ4211-6

2024-01-26

2024-02-25

4.8

GB/T 16483-2008 GB/T 17519-2013

1.

POLYESTER RESIN
SJ4211-6

CAS

8

SDS

241008
0553-5316333
0553-5316330
ASJ_SDS@ 126.com
http //www.shen-jian.com

0553-5316333

2.

GB 13690-2009 GB 30000-2013

/

GHS

GHS

■

P264

P271

P272

■

P302+P352

P362+P364

■

P410+P403

■

P501

vPvB

/

3. /

/

1

8

4.

/

“ ”(11)

5.

CO₂

/

(MSHA/NIOSH)

6.

“ ”

8

13

7

(8)

30 (86)

8.

EN 14042
GBZ/T 160.1~GBZ/T 160.81-2004
WS/T 52 WS/T 110 A

/

9.

PH

/ ()

()

() 350

[%(v/v)]

(kPa)

(=1)

(=1) 1.2

(g/cm³) 1.2 (23)

600 750 kg/m3

(mg/L)

(mg/L)

() 350

() 350

() 350

VOC

10.

(7)

()

11.

_____ / _____

_____ / _____

12.

_____ / _____ (Koc)

PBT vPvB _____

PBT

vPvB

13.

“ ”

14.

	UN	IMDG	IATA
(UN)			
	—	—	—
	—	—	—
	—	—	—
/			
	—	—	—

MARPOL 73/78 II IBC

15.

	A	B	C	D	E	F	G	H	I	J	K

A 2015 2015 92

B 2022 2022 8

C 2019 60

D (1 2) 2011 95 2013 12

E 445 2016 666

F

G 2020 1

H 2017 83 2020 47

I 2017 2017 05 11

J(2019)2019 07 05

K(2023)2022 12 29 28

AIICDSL DRAFT EINECS ENCS IECSC KECL NCI INSQ NZloc PICCS

TCSITSCA

AIIC

DSL

DRAFT

EINECS

ENCS

IECSC

KECL

NCI

INSQ

NZloc

PICCS

TCSI

TSCA

A

B

C

D

E

