



SDS)

SJ4401-6

2024-01-26

2024-02-25

4.8

GB/T 16483-2008 GB/T 17519-2013

1.

POLYESTER RESIN
SJ4401-6

CAS

8

SDS

241008
0553-5316333
0553-5316330
ASJ_SDS@ 126.com
http //www.shen-jian.com

0553-5316333

2.

GB 13690-2009 GB 30000-2013

/

GHS

GHS

■

P264

P271

P272

■

P302+P352

P362+P364

■

P410+P403

■

P501

vPvB

/

3. /

/

1

8

4.

/

“ ”(11)

5.

CO₂

/

(MSHA/NIOSH)

6.

“ ”

8

13

7

(8)

30 (86)

8.

EN 14042
GBZ/T 160.1~GBZ/T 160.81-2004
WS/T 52 WS/T 110 A

/

9.

PH

/ ()

()

() 350

[%(v/v)]

(kPa)

(=1)

(=1) 1.2

(g/cm³) 1.2 (23)

600 750 kg/m3

(mg/L)

(mg/L)

() 350

() 350

() 350

VOC

10.

(7)

()

11.

12.

(Koc)

PBT vPvB

PBT

vPvB

13.

14.

	UN	IMDG	IATA
(UN)			
	—	—	—
	—	—	—
	—	—	—
/			
	—	—	—

MARPOL 73/78 II IBC

15.

	A	B	C	D	E	F	G	H	I	J	K

A2015201592

B202220228

C201960

D(1 2)201195201312

E4452016666

F

G20201

H201783202047

I201720170511

J(2019)2019 07 05

K(2023)2022 12 29 28

	AIIC	DSL	DRAFT	EINECS	ENCS	IECSC	KECL	NCI	INSQ	NZloc	PICCS
	TCSI	TSCA									

AIIC

DSL

DRAFT

EINECS

ENCS

IECSC

KECL

NCI

INSQ

NZloc

PICCS

TCSI

TSCATSCA

	A	B	C	D	E

A

BABCE

C

D“ ”PIC

EUNECE

16.

2 9 15

2024 02 25

2021 06 28

4.8

